

PERFECT CONCRETE PRODUCTS FZC

YOUR SMART WAY TO LANDSCAPING




Applus⁺
VQMI

ISO 9001:2015 C 278
MGMT. SYS. CERTIFIED



CR 030-0013





PERFECT CONCRETE PRODUCTS FZC



Perfect Concrete Products FZC, a company manufacturing high quality concrete pavings and building blocks is ideally located in Sharjah Free Zone UAE. Managed by professionals who have decades of experience in the field, it is well equipped to meet the demands of quality conscious customers. PCP can also manufacture various types of blocks as per client's specifications.

At PCP, each product is turned out with precision and quality that matches the best available in the market. All our products are tested and approved by the Municipality and confirm to BS specifications.

Rectangular



Perhaps 'Rectangular' is the most popular among all the pavers. Due to its simple shape, it can be paved almost anywhere exuding originality and creativity. These pavers can withstand extra heavy weights and are widely used for road sidewalks and pathways. Rectangular pavers can be arranged in a number of strikingly beautiful patterns.

Size: 200mm x 100 mm Thickness: 60 mm / 80 mm

PATTERNS



HERRINGBONE 45° PATTERN



PARQUET PATTERN



HERRINGBONE 90° PATTERN



STRETCHERBOND PATTERN


Uni Blocks



When it comes to locking strength, 'Uni' paver is the ultimate. Its six point locking mechanism makes it sustain enormous loads and heavy traffic. It can be laid in various attractive patterns. Uni is ideally suited for loading and unloading areas, parking areas, pathways etc.

Thickness: 60 mm
80 mm

PATTERNS




BASKETWEAVE



STRETCHBOND 45°



STRETCHBOND 90°



HERRINGBONE

Boulevard



Where a contemporary appearance with clean crisp lines is essential, Boulevard is the smart, sharp option. Boulevard colours are blended for a subtle, interesting finish.

Available in a range of sizes and colour blends, Boulevard gives you freedom and flexibility to create striking modern designs.

- Clean contemporary look
- Flat wearing surface
- Modular sizes
- Minimal maintenance

Available in 200mm x 150mm
150mm x 150mm
100mm x 150mm
200mm x 200mm

Thickness: 60 mm.

PATTERNS




Combination of 200mm x 150mm & 150mm x 150 mm



Combination of 150mm x 150mm & 100mm x 150 mm




200mm x 150mm



150mm x 150mm

Quadro




The Quadro laying pattern consists of either 3 of the part or full combination. The best colour combination using the Octagonal Red, Quadro Grey and Cube Black.

QUADRO : This unique paving block having excellent locking size and proportions is ideally suited for both residential and commercial applications. It can be used solely or in combination with Octagonal and Cube.

OCTAGONAL: This range is the simplest form of luxury. While being cost effective, it offers an exotic finish. Since Octagonal has a large filling area, it is easy to install, remove and use. It can be used in combination with Quadro and Cube.

CUBE: Best suited for smaller application areas, as it has a very small size. The Cube range is used alongside either Octagonal or Quadro.


PATTERNS




PATTERN 1



PATTERN 2



PATTERN 3



PATTERN 4

Tegula




A naturally weathered stone appearance makes Tegula the ideal choice for a landscape scheme where aesthetics and style are the primary considerations.

Harmonising with the existing environment and architecture, Tegula is the ideal product for conservation schemes. It is also ideal for domestic applications, pedestrian precincts and landscaped schemes. Tegula provides a surface which is easily trafficked by pedestrians, prams, wheelchairs, vehicles etc. Available in a wide range of colours, Tegula offers the designer complete flexibility.

Available in 240 x 160
160 x 160
120 x 80 Thickness: 60 mm.




Circles




Circles can create stunning dramatic effects within a project. It can create a focal point with the patio. This attractive pattern is available either in Boulevard or Country Cobble paving ranges in different colors. Creative design possibilities are enormous depending upon one's imagination.

PATTERN



Center	- 1 Z
Ø 17.1 cm	
Row 1	- 8 KK
Ø 49.1 cm	
Row 2	- 8 KK, 8 DV
Ø 80.8 cm	
Row 3	- 26 GK
Ø 113.4 cm	
Row 4	- 34 GK
Ø 145.8 cm	
Row 5	- 21 GK, 21 DV
Ø 178.2 cm	
Row 6	- 26 GK, 25 DV
Ø 210.6 cm	



Shot Blast



Shot blasting gives the tile a rustic and natural aspect. The tiles are subjected to controlled abrasion by steel shots at a high velocity to impart a texture to the product. The textured surface and exposed aggregates impart an outstanding finish to your landscaping.

This antiskid product can be used at footpaths, parking areas, promenades, garages, drive-ways, swimmingpool decks etc.


PATTERNS



La Línía




This subtly textured paving range can be used in your landscaping for striking visual effects. La Línía pavers in combination can create numerous simple, complex, contemporary or traditional patterns as per your needs.



Thickness: 60 mm.

PATTERNS



Paving Patterns



Paving Patterns



Kerbstones

Available Sizes

KPCP 305 305 x 150 x 915mm		
UPSTAND	FLUSH	BULLNOSE

KPCP 255 x 150 255 x 150 x 915mm		
UPSTAND	FLUSH	BULLNOSE

KPCP 255 x 125 255 x 125 x 915mm		
UPSTAND	FLUSH	BULLNOSE













KPCP 420 420 x 200 x 600mm		
UPSTAND	FLUSH	BULLNOSE

KPCP 380 380 x 200 x 600mm		
UPSTAND	FLUSH	BULLNOSE

KPCP 300 300 x 200 x 600mm		
UPSTAND	FLUSH	BULLNOSE

Kerbstones

Available Sizes


 <p>305 150 915</p> <p>UPSTAND</p>	 <p>305 150 915</p> <p>FLUSH</p>	 <p>305 150 915</p> <p>BULLNOSE</p>
 <p>255 150 915</p> <p>UPSTAND</p>	 <p>255 150 915</p> <p>FLUSH</p>	 <p>255 150 915</p> <p>BULLNOSE</p>
 <p>255 125 915</p> <p>UPSTAND</p>	 <p>255 125 915</p> <p>FLUSH</p>	 <p>255 125 915</p> <p>BULLNOSE</p>
 <p>300 / 380 / 420 200 600</p> <p>UPSTAND</p>	 <p>300 / 380 / 420 200 600</p> <p>FLUSH</p>	 <p>300 / 380 / 420 200 600</p> <p>BULLNOSE</p>

Masonry Block



Made from naturally occurring aggregates, these blocks have high level of resistance to ageing, fire, environmental damage and weathering, thus making them highly suitable for exposed situations. Masonry blocks have become very popular in recent times as they are used extensively as substitutes for conventional wood-framed, above grade exterior walls. These are ideal for a wall that is secure and has perfect thermal and sound insulation characteristics.

A wide range of durable masonry blocks include standard structural units, fair faced, textured and standard backing-wall blocks to suit your architectural design and style.



Thermo Block



An excellent thermal insulation masonry block manufactured under exacting precision polystyrene is embedded in the mould using a special device before filling in concrete. It is then compacted by a preset inside the machine. As the Polystyrene is introduced while the compound is wet and integrally locked thoroughly, the end product is unique in every aspect.

The unique features include:

- Easy handling and cost effective. Does not require any special mortars, cement or extra additives
- Produces efficient thermal barrier with an ideal density of 28 kg/m³. Sound/thermal insulation
- Big savings in room air-conditioning
- Withstands great stress and load as the compressive strength is 7.5N/mm²
- Comes with a fire rating of 6 hrs.
- Almost impossible for water and moisture to penetrate


Thermal Value:

U Value (Thermal Transmission) : .362 watt/m²°C


K Value (Thermal Conductivity) : .0723 watt/m²°C

R Value (Thermal Resistance) : 2.762 watt/m²°C


A wide range of durable masonry blocks include standard structural units, fair faced, textured and standard backing-wall blocks to suit your architectural design and style.



Heel Kerb



In order to complement our full range of pavers, we produce an extensive range of Kerbs such as Textured Kerbs, Garden Kerbs and Driveway Kerbs. They are available in various attractive colours to complement or contrast with any kind of paving.



PLAKKA (Flags)

The PLAKKA come in a wide range of textures, finishes and colors that add an out of the world aesthetic to your landscaping.. They are specially created to refine the look of your outdoor living space. These versatile and durable pavers are suitable for any design scheme. Also, they can be mixed and matched with other pavers to take your scope of imagination to endless heights.


If you are looking for an aesthetic, durable, cost-effective and functional paving solution to compliment any surrounding, PERFECT 's PLAKKA are your best option.

Available in a variety of hues and textures

HADDAN HALL



Available Sizes




Thickness: 40 mm
50 mm
60 mm

PIMPLE FINISH



Available Sizes



Thickness: 40 mm
50 mm
60 mm

SHOT BLAST



Available Sizes



Thickness: 40 mm, 50 mm & 60 mm

PLAKKA (Flags)

The PLAKKA come in a wide range of textures, finishes and colors that add an out of the world aesthetic to your landscaping.. They are specially created to refine the look of your outdoor living space. These versatile and durable pavers are suitable for any design scheme. Also, they can be mixed and matched with other pavers to take your scope of imagination to endless heights.

If you are looking for an aesthetic, durable, cost-effective and functional paving solution to compliment any surrounding, PERFECT 's PLAKKA are your best option.

Available in a variety of hues and textures

INCA



Available Sizes: 400 mm x 400 mm, 500 mm x 500 mm, 600 mm x 600 mm

Thickness: 40 mm, 50 mm, 60 mm

SMOOTH FINISH



Available Sizes: 400 mm x 400 mm, 500 mm x 500 mm, 600 mm x 600 mm


Thickness: 40 mm, 50 mm, 60 mm

RIVEN




Available Sizes: 400 mm x 400 mm, 500 mm x 500 mm, 600 mm x 600 mm

Thickness: 40 mm, 50 mm & 60 mm











PERFECT CONCRETE PRODUCTS FZC

بیرفیکت کونکریت برودکٹس (ش.م.ح.)

P.O.Box:9418, saif zone M2 (05-12) Sharjah, United Arab Emirates

✉ info@perfectconcrete.ae www.perfectconcrete.ae

☎ +971 6 557 3765 📠 +971 6 557 3764 , +971 56 533 5452