


PERFECT CONCRETE PRODUCTS FZC

YOUR SMART WAY TO LANDSCAPING




Circles




Circles can create stunning dramatic effects within a project. It can create a focal point with the patio. This attractive pattern is available either in Boulevard or Country Cobble paving ranges in different colors. Creative design possibilities are enormous depending upon one's imagination.


PATTERN



Center	- 1 Z
Ø 17.1 cm	
Row 1	- 8 KK
Ø 49.1 cm	
Row 2	- 8 KK, 8 DV
Ø 80.8 cm	
Row 3	- 26 GK
Ø 113.4 cm	
Row 4	- 34 GK
Ø 145.8 cm	
Row 5	- 21 GK, 21 DV
Ø 178.2 cm	
Row 6	- 26 GK, 25 DV
Ø 210.6 cm	




Masonry Block




Made from naturally occurring aggregates, these blocks have high level of resistance to ageing, fire, environmental damage and weathering, thus making them highly suitable for exposed situations. Masonry blocks have become very popular in recent times as they are used extensively as substitutes for conventional wood-framed, above grade exterior walls. These are ideal for a wall that is secure and has perfect thermal and sound insulation characteristics.

A wide range of durable masonry blocks include standard structural units, fair faced, textured and standard backing-wall blocks to suit your architectural design and style.



Thermo Block



An excellent thermal insulation masonry block manufactured under exacting precision polystyrene is embedded in the mould using a special device before filling in concrete. It is then compacted by a preset inside the machine. As the Polystyrene is introduced while the compound is wet and integrally locked thoroughly, the end product is unique in every aspect.

The unique features include:

- Easy handling and cost effective. Does not require any special mortars, cement or extra additives
- Produces efficient thermal barrier with an ideal density of 28 kg/m^3 . Sound/thermal insulation
- Big savings in room air-conditioning
- Withstands great stress and load as the compressive strength is 7.5 N/mm^2
- Comes with a fire rating of 6 hrs.
- Almost impossible for water and moisture to penetrate


Thermal Value:

U Value (Thermal Transmission) : $.362 \text{ watt/m}^2\text{°C}$

K Value (Thermal Conductivity) : $.0723 \text{ watt/m}^2\text{°C}$

R Value (Thermal Resistance) : $2.762 \text{ watt/m}^2\text{°C}$


A wide range of durable masonry blocks include standard structural units, fair faced, textured and standard backing-wall blocks to suit your architectural design and style.



Heel Kerb



In order to complement our full range of pavers, we produce an extensive range of Kerbs such as Textured Kerbs, Garden Kerbs and Driveway Kerbs. They are available in various attractive colours to complement or contrast with any kind of paving.







PERFECT CONCRETE PRODUCTS FZE



Perfect Concrete Products FZE, a company manufacturing high quality concrete pavings and building blocks is ideally located in Sharjah Free Zone UAE. Managed by professionals who have decades of experience in the field, it is well equipped to meet the demands of quality conscious customers. PCP can also manufacture various types of blocks as per client's specifications.

At PCP, each product is turned out with precision and quality that matches the best available in the market. All our products are tested and approved by the Municipality and confirm to BS specifications


Rectangular




Perhaps 'Rectangular' is the most popular among all the pavers. Due to its simple shape, it can be paved almost anywhere exuding originality and creativity. These pavers can withstand extra heavy weights and are widely used for road sidewalks and pathways. Rectangular pavers can be arranged in a number of strikingly beautiful patterns.

Size: 200mm x 100 mm Thickness: 50 mm / 60 mm / 80 mm


PATTERNS



HERRINGBONE 45° PATTERN



PARQUET PATTERN




HERRINGBONE 90° PATTERN



STRETCHERBOND PATTERN


Uni Blocks




When it comes to locking strength, 'Uni' paver is the ultimate. Its six point locking mechanism makes it sustain enormous loads and heavy traffic. It can be laid in various attractive patterns. Uni is ideally suited for loading and unloading areas, parking areas, pathways etc.

Thickness: 60 mm
80 mm


PATTERNS




BASKETWEAVE



STRETCHBOND 45°



STRETCHBOND 90°



HERRINGBONE

Boulevard



Where a contemporary appearance with clean crisp lines is essential, Boulevard is the smart, sharp option. Boulevard colours are blended for a subtle, interesting finish.

Available in a range of sizes and colour blends, Boulevard gives you freedom and flexibility to create striking modern designs.

- Clean contemporary look
- Flat wearing surface
- Modular sizes
- Minimal maintenance


Available in 200mm x 150mm
150mm x 150mm
100mm x 150mm

Thickness: 80 mm.


PATTERNS




Combination of 200mm x 150mm & 150mm x 150 mm



Combination of 150mm x 150mm & 100mm x 150 mm




200mm x 150mm



150mm x 150mm

Quadro




The Quadro laying pattern consists of either 3 of the part or full combination. The best colour combination using the Octagonal Red, Quadro Grey and Cube Black.

QUADRO : This unique paving block having excellent locking size and proportions is ideally suited for both residential and commercial applications. It can be used solely or in combination with Octagonal and Cube.


OCTAGONAL: This range is the simplest form of luxury. While being cost effective, it offers an exotic finish. Since Octagonal has a large filling area, it is easy to install, remove and use. It can be used in combination with Quadro and Cube.

CUBE: Best suited for smaller application areas, as it has a very small size. The Cube range is used alongside either Octagonal or Quadro.


PATTERNS




PATTERN 1



PATTERN 2




PATTERN 3



PATTERN 4


Strada




Strada gives the paving a rustic aged appearance. It is ideal for paving at conservation areas at the same time it is equally practical for modern projects also. This two-colour blended rumble finished paver complements the overall paving and flag range and provides more options for your landscaping.

Size: 200mm x 60 mm Thickness: 100 mm


PATTERNS




PATTERN 1



PATTERN 2



PATTERN 3



PATTERN 4

Tegula





A naturally weathered stone appearance makes Tegula the ideal choice for a landscape scheme where aesthetics and style are the primary considerations.

Harmonising with the existing environment and architecture, Tegula is the ideal product for conservation schemes. It is also ideal for domestic applications, pedestrian precincts and landscaped schemes. Tegula provides a surface which is easily trafficked by pedestrians, prams, wheelchairs, vehicles etc. Available in a wide range of colours, Tegula offers the designer complete flexibility.

Available in 240 x 160
 160 x 160
 120 x 80 Thickness 80 mm.

PATTERNS



Country Cobble



The distinctive character of 'Country Cobble' will enhance virtually any setting, blending beautifully with your surroundings in the town or in the country. Country Cobble creates the mellow aged look of reclaimed paving but with all the advantages of a modern, easy-to-lay paving system. Country Cobble can be widely used to surface paths and patios, driveways and garden features such as steps, edging as well as garden walls.

Available in 150mm x 150mm Thickness 60 mm
 100mm x 100mm

PATTERN



150mm x 150mm



100mm x 100mm